# BRITISH JOURNAL

OF

# HAEMATOLOGY

EDITORIAL BOARD

EDITOR

I. R. PEAKE

ASSOCIATE EDITORS

A. K. Burnett, J. M. Chessells, M. Greaves, D. C. Linch, C. A. Ludlam, S. J. Machin,
J. A. F. Napier, D. G. Oscier, A. C. Newland, N. Testa, M. Worwood, W. G. Wood

ANNOTATIONS EDITORS
M. K. Brenner and W. G. Wood

CLINICAL ANNOTATIONS EDITORS
J. M. Chessells and M. Pippard

A. V. Hoffbrand *Chairman*
E. Briet, M. K. Brenner, J. M. Goldman, E. C. Gordon-Smith, D. Hoelzer, B. Löwenberg,
L. Luzzatto, P. M. Mannucci, M. Pippard, E. G. D. Tuddenham,
H. van der Berghe, J. A. Whittaker

Volume 82

Pages 1–790

BLACKWELL SCIENTIFIC PUBLICATIONS

OXFORD LONDON EDINBURGH BOSTON MELBOURNE

1992

PUBLISHED BY BLACKWELL SCIENTIFIC PUBLICATIONS LTD, OSNEY MEAD, OXFORD

© 1992 Blackwell Scientific Publications. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Scientific Publications for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $06.00 per copy is paid directly to CCC, 27 Congress Street, Salem, MA 01970, U.S.A. Special requests should be addressed to the Editor. 0007-1048/92 $06.00.

Printed in Great Britain at The Alden Press, Oxford

# BRITISH JOURNAL OF HAEMATOLOGY

Vol. 82 No. 1 September 1992

Editorial 1

ANNOTATION. IAN M. HANN. CNS-directed therapy in childhood acute lymphoblastic leukaemia 2

VALERIE F. J. QUESNIAUX, SUSI WEHRLI, IRMA ZIEGLER, BEATRICE LEGENDRE, WILLIAM WISHART, BARBARA FAGG, MAX H. SCHREIER and CATHERINE NISSEN. Human serum stimulates the production of G-CSF, IL-1, IL-6 and IL-8 by human peripheral blood leucocytes 6

K. PATTANAPANYASAT, H. K. WEBSTER, P. TONGTAWE, P. KONGCHAROEN and R. C. HIDER. Effect of orally active hydroxypyridinone iron chelators on human lymphocyte function 13

J. BUX, M. SOHN, R. HACHMANN and C. MUELLER-ECKHARDT. Quantitation of granulocyte antibodies in sera and determination of their binding sites 20

MASANOBU KOBAYASHI, MASAHIRO IMAMURA, RYOSUKE SOGA, YUUJI TSUDA, SHIRO MAEDA, HIROSHI IWASAKI, MAKOTO SUGIURA, HIROKO OHIZUMI, MANABU MUSASHI, MASANOBU MORIOKA, MIHIRO OKABE, KEISUKE SAKURADA, MASAHARU KASAI and TAMOTSU MIYAZAKI. Establishment of a novel granulocytic sarcoma cell line which can adhere to dermal fibroblasts from a patient with granulocytic sarcoma in dermal tissues and myelofibrosis 26

TAINA TAUBE, KAARLE FRANSSILA, LEILA RISTELI, JUHA RISTELI and INKERI ELOMAA. Monitoring of multiple myeloma and bone marrow fibrosis with aminoterminal propeptide of type III collagen (PIIINP) 32

B. FALINI, L. FLENGHI, L. FEDELI, M. K. BROE, C. BONINO, H. STEIN, H. DÜRKOP, B. BIGERNA, G. BARBABIETOLA, S. VENTURI, F. AVERSA, G. PIZZOLO, A. BARTOLI, S. PILERI, E. SABATTINI, R. PALUMBO and M. F. MARTELLI. *In vivo* targeting of Hodgkin and Reed-Sternberg cells of Hodgkin's disease with monoclonal antibody Ber-H2 (CD30): immunohistological evidence 38

W. E. TERPSTRA, H. M. LOKHORST, F. BLOMJOUS, O. J. A. TH. MEUWISSEN and A. W. DEKKER. Comparison of plasma cell infiltration in bone marrow biopsies and aspirates in patients with multiple myeloma 46

ALI G. TURHAN, JOHANNE D. CASHMAN, CONNIE J. EAVES, R. KEITH HUMPHRIES and ALLEN C. EAVES. Variable expression of features of normal and neoplastic stem cells in patients with thrombocytosis 50

MIKAEL DONNÉR, ANN CHARLOTTE KRISTOFFERSON, HARALD LENK, ELMA SCHEIBEL, BJÖRN DAHLBÄCK, INGA MARIE NILSSON and LARS HOLMBERG. Type IIB von Willebrand's disease: gene mutations and clinical presentation in nine families from Denmark, Germany and Sweden 58

J.-M. LAVERGNE, L. DE PAILLETTE, B. R. BAHNAK, A.-S. RIBBA, E. FRESSINAUD, D. MEYER and G. PIETU. Defects in type IIA von Willebrand disease: a cysteine 509 to arginine substitution in the mature von Willebrand factor disrupts a disulphide loop involved in the interaction with platelet glycoprotein Ib-IX 66

CHRISTINE GAUCHER, BERNARD MERCIER and CLAUDINE MAZURIER. Von Willebrand disease family studies: comparison of three methods of analysis of the von Willebrand factor gene polymorphism related to a variable number tandem repeat sequence in intron 40 73

F. I. PARETI, M. MAZZUCATO, E. BOTTINI and P. M. MANNUCCI. Interaction of porcine von Willebrand factor with the platelet glycoproteins Ib and IIb/IIIa complex 81

PIER MANNUCCIO MANNUCCI, DONATO BETTEGA and MARCO CATTANEO. Patterns of development of tachyphylaxis in patients with haemophilia and von Willebrand disease after repeated doses of desmopressin (DDAVP) 87

ALISON BATCHELOR, C. MICHAEL STEEL and CHRISTOPHER A. LUDLAM. Enhancement of human T cell responses to allogeneic stimuli by factor VIII concentrates 94

GREGORY A. DENOMME, JOHN G. KELTON and DAVID A. BELL. The production of human monoclonal antiplatelet autoantibodies derived from human lymphocytes of normal origin: reactivity to DNA, anionic phospholipids and platelet proteins 99

PENELOPE I. MOTUM, ROBERT LINDEMAN, TRACEY J. HAMILTON and RONALD J. TRENT. Australian $\beta^0$-thalassaemia: a high haemoglobin $A_2$ $\beta^0$-thalassaemia due to a 12 kb deletion commencing 5′ to the $\beta$-globin gene 107

T. E. KEEGAN, A. HEATON, S. HOLME, M. OWENS and E. J. NELSON. Improved post-transfusion quality of density separated AS-3 red cells after extended storage 114

HIROSHI IDEGUCHI, KENSHI OKUBO, ATSUKO ISHIKAWA, YUKO FUTATA and NAOTAKA HAMASAKI. B and 3-Memphis is associated with a lower transport rate of phosphoenolpyruvate 122

R. N. BARKER, K. M. CASSWELL, M. E. REID, R. J. SOKOL and C. J. ELSON. Identification of autoantigens in autoimmune haemolytic anaemia by a non-radioisotope immunoprecipitation method 126

A. KANZAKI and Y. YAWATA. Hereditary stomatocytosis: phenotypical expression of sodium transport and band 7 peptides in 44 cases 133

MARIKO OKADA, TAKESHI KODAMA, AKIO TOMINAGA, KAZUNORI KON, TERUTAKA SAGAWA and SAYAKA UTSUMI. Cytotoxicity of activated platelets to autologous red blood cells 142

R. A. DAWSON and S. MAC NEIL. Mitogenic role for extracellular calmodulin-like activity in normal

human umbilical vein endothelial cells 151
CHRISTOF LUDESCHER, JOSEF THALER, DORIS DRACH, JOHANNES DRACH, MARTIN SPITALER, CLAUS GATTRINGER, HEINZ HUBER and JOHANN HOFMANN. Detection of activity of P-glycoprotein in human tumour samples using rhodamine 123 161

CASE REPORTS
J. BOHINJEC and D. ANDOLJŠEK. Neutrophil-releasing activity of recombinant human granulocyte-macrophage colony stimulating factor in myelokathexis 169
S. GROSS, C. TRAULLE, J. C. CAPIOD, B. ROUSSEL, B. LAFON, E. HAYEK, J. DIEVAL and J. DELOBEL. Efficacy of high-dose intravenous gammaglobulin in the management of acquired von Willebrand's disease during orthopaedic surgery 170
G. CHENG, S. Y. HA, H. W. LIU, Y. L. KWONG, C. K. LI and L. C. CHAN. A patient with marked leucocytosis, t(8;21), absent Philadelphia chromosome, but rearranged BCR gene 171

CORRESPONDENCE
ŞINASI ÖZSOYLU. Antiplatelet antibodies in idiopathic thrombocytopenic purpura 173
ANTONIO PINTO, VITTORINA ZAGONEL, ANTONINO CARBONE and LUIGI DEL VECCHIO. Expression of myeloid associated antigens in chronic lymphocytic leukaemia 173
J. REIFFERS, F. HUGUET, A. M. STOPPA, M. MICHALLET, P. HURTELOUP, JOHN A. LIU YIN and R. M. HUTCHINSON. Intensive induction chemotherapy in elderly patients 175
M. F. MURPHY, P. METCALFE, R. CAPLES and A. H. WATERS. Function of acid-treated platelets for transfusion 176
ANDREA DE PASQUALE, LIA GINALDI, GABRIELLA DI LEONARDO, COSIMO NAPOLETANO and DENNIS QUAGLINO. Exercise-induced variations of lymphocytosis in the lymphoproliferative disease of large granular lymphocytes 178
Book Review; Announcements 180
Abstracts of State of the Art Symposia Presented at the 24th Congress of the International Society of Haematology, London, 23–27 August 1992 181
Abstracts of Satellite Symposia Presented at the 24th Congress of the International Society of Haematology, London, 23–27 August 1992 272

**Vol. 82 No. 2 October 1992**

HERBERT STROBL, MASAFUMI TAKIMOTO, OTTO MAJDIC, PAUL HÖCKER and WALTER KNAPP. Antigenic analysis of human haemopoietic progenitor cells expressing the growth factor receptor c-kit 287
JOHANNA W. BAARS, JAN PAUL DE BOER, JOHN WAGSTAFF, DORINA ROEM, ANKE J. M. EERENBERG-BELMER, JOS NAUTA, HERBERT M. PINEDO and C. ERIK HACK. Interleukin-2 induces activation of coagulation and fibrinolysis: resemblance to the changes seen during experimental endotoxaemia 295
ADRIENNE L. MOREY and KENNETH A. FLEMING. Immunophenotyping of fetal haemopoietic cells permissive for human parvovirus B19 replication *in vitro* 302
O. B. EDEN, I. HANN, J. IMESON, S. COTTERILL, M. GERRARD and C. R. PINKERTON. Treatment of advanced stage T cell lymphoblastic lymphoma: results of the United Kingdom Children's Cancer Study Group (UKCCSG) protocol 8503 310
A. KHWAJA, D. C. LINCH, A. H. GOLDSTONE, R. CHOPRA, R. E. MARCUS, J. Z. WIMPERIS, N. H. RUSSELL, A. P. HAYNES, D. W. MILLIGAN, M. J. LEYLAND, D. A. WINFIELD, B. W. HANCOCK, A. NEWLAND, S. T. DURRANT, S. DEVEREUX, S. ROITT, M. COLLINS and G. VAUGHAN HUDSON. Recombinant human granulocyte–macrophage colony-stimulating factor after autologous bone marrow transplantation for malignant lymphoma: a British National Lymphoma Investigation double-blind, placebo-controlled trial 317
ELISABETH PAIETTA, BRIAN VAN NESS, JOHN BENNETT, JANIS RACEVSKIS, RASIM GUCALP, PETER CASSILETH and PETER H. WIERNIK. Lymphoid lineage-associated features in acute myeloid leukaemia: phenotypic and genotypic correlations 324
SVERRE HEIM, ANNE-GRETHE SØRENSEN, BJARNE EGELUND CHRISTENSEN and NIELS TINGGARD PEDERSEN. Re-emergence in remission of primary clone in acute myelogenous leukaemias with multiple chromosomal aberrations at diagnosis 332
RICHARD A. LARSON, ROGER S. DAY, NOZAR AZARNIA, JOHN M. BENNETT, GEORGE BROWMAN, JACK GOLDBERG, ARLAN GOTTLIEB, HANS GRUNWALD, KENNETH MILLER, AZRA RAZA, RALPH VOGLER, ELLIOT WINTON and HARVEY D. PREISLER. The selective use of AMSA following high-dose cytarabine in patients with acute myeloid leukaemia in relapse: a Leukemia Intergroup Study 337
M. A. TUNCER, A. PAGLIUCA, G. HICSONMEZ, S. YETGIN, S. OZSOYLU and G. J. MUFTI. Primary myelodysplastic syndrome in children: the clinical experience in 33 cases 347
K. OGATA, T. YAMADA, T. ITO, S. GOMI, Y. TANABE, I. OHKI, K. DAN and T. NOMURA. Low-dose etoposide: a potential therapy for myelodysplastic syndromes 354
C. AUL, N. GATTERMANN and W. SCHNEIDER. Age-related incidence and other epidemiological aspects of myelodysplastic syndromes 358
TOMOKO HARA, AYAKO KOJIMA, HIROKO FUKUDA, TORU MASAOKA, YASUO FUKUMORI, MISAKO MATSUMOTO and TSUKASA SEYA. Levels of complement regulatory proteins, CD35 (CR1), CD46 (MCP) and CD55 (DAF) in human haematological malignancies 368
HERMANN M. WOLF, MARTINA PUM, RITA JÄGER, LAJOS ISTVÁN, JOSEF W. MANNHALTER and MARTHA M. EIBL. Cellular and humoral immune responses in haemophiliacs after vaccination against tick-borne encephalitis 374
P. YATES, J. CORNWELL, G. L. SCOTT and R. M. ATKINS. Treatment of haemophilic flexion

deformities using the Flowtron intermittent compression system 384

MARCO CATTANEO, DONATO BETTEGA, ROSSANA LOMBARDI, ANNA LECCHI and PIER MANNUCCIO MANNUCCI. Sustained correction of the bleeding time in an afibrinogenaemic patient after infusion of fresh frozen plasma 388

FREDERICK A. OFOSU, JACQUES LECLERC, FERNAND DELORME, SHARON CRAVEN, SHAMIRAN SHAFAI, LORI FREWIN and MORRIS A. BLAJCHMAN. The low molecular weight heparin Enoxaparin inhibits the consumption of factor VII and prothrombin activation *in vivo* associated with elective knee replacement surgery 391

F. A. OFOSU, M. LEVINE, S. CRAVEN, L. DEWAR, S. SHAFAI and M. A. BLAJCHMAN. Prophylactically equivalent doses of Enoxaparin and unfractionated heparin inhibit *in vivo* coagulation to the same extent 400

ANA PADILLA, ELAINE GRAY, DUNCAN S. PEPPER and TREVOR W. BARROWCLIFFE. Inhibition of thrombin generation by heparin and low molecular weight (LMW) heparins in the absence and presence of platelet factor 4 (PF4) 406

BIRGITTA SEIVING, PER HENRIKSSON, PÅL STENBERG and INGA MARIE NILSSON. A reversed activity staining procedure for detection of an acquired antibody against factor XIII in a girl with factor XIII deficiency 414

J. G. GILMAN, E. C. BRINSON and N. MISHIMA. The 32·6 kb Indian $\delta\beta$-thalassaemia deletion ends in a 3·4 kb L1 element downstream of the $\beta$-globin gene 417

D. G. FAGAN and A. WALKER. Haemoglobin F levels in sudden infant deaths 422

F. N. AL-RAFAIE, D. G. WICKENS, B. WONKE, G. J. KONTOGHIORGHES and A. V. HOFFBRAND. Serum non-transferrin-bound iron in beta-thalassaemia major patients treated with desferrioxamine and L1 431

J. LABADIE, M. J. D. VAN TOL, N. H. DIJKSTRA, M. VAN DER KAADEN, C. M. JOL-VAN DER ZIJDE, G. G. DE LANGE, F. E. ZWAAN and J. M. VOSSEN. Transfer of specific immunity from donor to recipient of an allogeneic bone marrow graft: evidence for donor origin of the antibody producing cells 437

R. T. HUGHES, T. SMITH, R. HESP, B. HULME, D. C. DUKES, M. B. BENDING, J. PEARSON, K. B. RAJA, P. MARY COTES and M. J. PIPPARD. Regulation of iron absorption in iron loaded subjects with end stage renal disease: effects of treatment with recombinant human erythropoietin and reduction of iron stores 445

R. RAMA and J. SÁNCHEZ. Transferrin uptake by bone marrow macrophages is independent of the degree of iron saturation 455

M. B. AGARWAL, S. S. GUPTE, C. VISWANATHAN, D. VASANDANI, J. RAMANATHAN, NEENA DESAI, R. R. PUNIYANI and A. T. CHHABLANI. Long-term assessment of efficacy and safety of $L_1$, an oral iron chelator, in transfusion dependent thalassaemia: Indian trial 460

JEAN-JACQUES LEFRÈRE, MARTINE MARIOTTI, ERIC WATTEL, FRANÇOISE LEFRÈRE, GENEVIÈVE INCHAUSPE, DOMINIQUE COSTAGLIOLA and ALFRED PRINCE. Towards a new predictor of AIDS progression through the quantitation of HIV-1 DNA copies by PCR in HIV-infected individuals 467

CASE REPORTS

ROMEO P. REICHEL, WERNER LINKESCH and DORIS SCHETITSKA. Therapy with recombinant alpha-2c during unexpected pregnancy in a patient with chronic myeloid leukaemia 472

TAIZO TASAKA, MASAMI NAGAI, KAZUNORI SASAKI, MICHIO MURATA, TERUHISA TAOKA, KAZUMA IKEDA, TERUKAZU TANAKA, TATSUO ABE, JIRO TAKAHARA and SHOZO IRINO. Translocation (3;21)(q26·2;q22·1) found in a patient with myelodysplastic syndrome and long-term exposure to organic solvents 473

KAYOKO MURAYAMA, MORIO SAWAMURA and KOUSEI TAMURA. Transient plasmacytosis with acute infection in myeloma 475

ROBERTO LERZA, GIORGIO CASTELLO, MARIO SESSAREGO, DONATELLA CAVALLINI and IVO PANNACCIULLI. Myelodysplastic syndrome associated with increased bone marrow fibrosis and translocation (5;12)(q33;p12·3) 476

M. J. M. DIEKMAN, P. BRESSER, L. A. NOORDUYN and P. REISS. Spontaneous regression of Ki-1 positive T-cell non-Hodgkin's lymphoma in a patient with HIV infection 477

CORRESPONDENCE

C. SELLERI, R. NOTARO, L. CATALANO, R. FONTANA, L. DEL VECCHIO, B. ROTOLI, MARÍA GUINOT, GUILLERMO F. SANZ, AMPARO SEMPERE, MARÍA J. ARILLA, ISIDRO JARQUE, FEDERICO GOMIS, MIGUEL A. SANZ and ROBERT B. GELLER. Prognostic irrelevance of CD34 in acute myeloid leukaemia 479

M. M. REID. Splenectomy and chronic ITP in children 481

**Vol. 82 No. 3** **November 1992**

ANNOTATION. C. D. L. REID. *In vitro* studies of normal and pathological erythropoiesis 483

ANDREW J. HAPEL, MING-CHIU FUNG, NAI-KI MAK, CAROLYN MORRIS, DONALD METCALF and NICOS NICOLA. Bone marrow cells from A/J mice do not proliferate in interleukin-3 but express normal numbers of interleukin-3 receptors 488

STEPHEN J. RICHARDS, M. SIVAKUMARAN, L. A. PARAPIA, IAN BALFOUR, DEREK R. NORFOLK, JASPAL KAEDA and COLIN STEPHEN SCOTT. A distinct large granular lymphocyte (LGL)/NK-associated (NKa) abnormality characterized by membrane CD4 and CD8 coexpression 494

JIH-LUH TANG, SHIOU-HWEI YEH, PEI-JER CHEN, MING-TSEH LIN, HWEI-FANG TIEN and YAO-CHANG CHEN. Inactivation of the retinoblastoma gene in acute myelogenous leukaemia 502

TETSUYA ETO, KOICHI AKASHI, MINE HARADA, TSUNEFUMI SHIBUYA, YASUSHI TAKAMATSU, TAKANORI TESHIMA and YOSHIYUKI NIHO. Biological characteristics of CD7 positive acute myelogenous leukaemia 508

Masaki Yasukawa, Kohsuke Yanagisawa, Hidehisa Kohno, Yoshihiro Yakushijin, Toshifumi Kondo and Shigeru Fujita. Simultaneous establishment of myeloid and B-lymphoid cell lines with identical chromosome abnormalities from Philadelphia chromosome-positive chronic myelogenous leukaemia 515

Steven Grant, W. David Jarvis, Amy J. Turner, Hugh J. Wallace and George R. Pettit. Effects of bryostatin 1 and rGM-CSF on the metabolism of 1-$\beta$-D-arabinofuranosylcytosine in human leukaemic myeloblasts 522

Julian Borrow, Audrey D. Goddard, Barbara Gibbons, Fay Katz, David Swirsky, Thoas Fioretos, Ian Dube, David A. Winfield, Judith Kingston, Anne Hagemeijer, John K. H. Rees, T. Andrew Lister and Ellen Solomon. Diagnosis of acute promyelocytic leukaemia by RT-PCR: detection of *PML-RARA* and *RARA-PML* fusion transcripts 529

Leonidas C. Platanias, Lawrence M. Pfeffer, Kevin P. Barton, James W. Vardiman, Harvey M. Golomb and Oscar R. Colamonici. Expression of the IFN$\alpha$ receptor in hairy cell leukaemia 541

J. Mercieca, E. Matutes, E. Moskovic, K. MacLennan, F. Matthey, C. Costello, J. Behrens, S. Basu, S. Roath, S. Fairhead, G. Flandrin, A. Brizard and D. Catovsky. Massive abdominal lymphadenopathy in hairy cell leukaemia: a report of 12 cases 547

George P. Browman, Andrew Belch, Jamey Skillings, Kenneth Wilson, Daniel Bergsagel, Dianne Johnston and Joseph L. Pater. Modified adriamycin–vincristine–dexamethasone (m-VAD) in primary refractory and relapsed plasma cell myeloma: an NCI (Canada) pilot study 555

Peter Hokland, Chr. H. Geisler, Erik Andersen, Aage Drivsholm, Mogens Mørk Hansen and Karin Meyer. Mouse erythrocyte rosette formation with malignant human B-lymphocytes re-evaluated: still a useful marker for differentiating mature B-cell malignancies 560

S. S. Pierangeli, E. N. Harris, S. A. Davis and G. DeLorenzo. $\beta_2$-glycoprotein 1 ($\beta_2$GP1) enhances cardiolipin binding activity but is not the antigen for antiphospholipid antibodies 565

D. M. Keeling, A. J. G. Wilson, I. J. Mackie, S. J. Machin and D. A. Isenberg. Some 'antiphospholipid antibodies' bind to $\beta_2$-glycoprotein I in the absence of phospholipid 571

Meenu Wadhwa, Paula Dilger, Jill Tubbs, Trevor Barrowcliffe, Bernard Mahon and Robin Thorpe. Mechanisms of inhibition of T cell IL-2 secretion by factor VIII concentrates 575

G. W. Hall, R. A. Barnetson and S. L. Thein. Beta thalassaemia in the indigenous British population 584

Graham J. Lieschke, Ugo Ramenghi, Marian P. O'Connor, William Sheridan, Jeffrey Szer and George Morstyn. Studies of oral neutrophil levels in patients receiving G-CSF after autologous marrow transplantation 589

Feride Duru, Aytemiz Gürgey, Gülyüz Öztürk, Selma Yörükan and Ciğdem Altay. Homozygosity for dominant form of hereditary spherocytosis 596

R. E. Gaines Das, Alison Milne, Megan Rowley, E. C. Gordon Smith and P. Mary Cotes. Serum immunoreactive erythropoietin in patients with idiopathic aplastic and Fanconi's anaemias 601

J. Camacho, F. Poveda, A. F. Zamorano, M. E. Valencia, J. J. Vázquez and F. Arnalich. Serum erythropoietin levels in anaemic patients with advanced human immunodeficiency virus infection 608

G. H. C. Mientjes, E. J. C. Van Ameijden, J. W. Mulder, J. A. R. Van den Hoek, R. A. Coutinho and A. E. von dem Borne. Prevalence of thrombocytopenia in HIV-infected and non-HIV infected drug users and homosexual men 615

CASE REPORTS

Emilio Ojeda, Maria del Carmen Perez, Rodolfo Mataix, Abdon Arbelo, Santiago Jimenez, Conrado Campo and Inake Balda. Skin necrosis with a low molecular weight heparin 620

D. Williamson, J. V. Langdown, T. Myles, C. Mason, J. S. Henthorn and S. C. Davies. Polycythaemia and microcytosis arising from the combination of a new high oxygen affinity haemoglobin (Hb Luton, $\alpha$89 His→Leu) and $\alpha$ thalassaemia trait) 621

E. L. Blundell, D. H. Pamphilon, N. A. Anderson, R. R. Slade, P. A. Burton, A. Martin, T. Ray, B. A. Bradley, M. Lawler, P. Humphries and S. R. McCann. Transfusion-associated graft-versus-host disease, monoclonal gammopathy and PCR 622

Claude Preudhomme, Jean Luc Laï, Isabelle Plantier, Jean Loup Demory, Marc Zandecki and Pierre Fenaux. Cytogenetic and molecular remission in a case of acute myeloid leukaemia (AML) with inversion of chromosome 16 (Inv(16)) and Philadelphia chromosome (Ph) 623

A. Hernández, L. Corrai, A. Muñiz, C. Alaez, C. Cruz, G. Vega, E. Dorticos, G. Martínez and P. Hernández. Lack of M-bcr rearrangement with b3a2 junction revealed by polymerase chain reaction in a case of Philadelphia-positive intermediate lymphocytic lymphoma in leukaemic phase 626

Takefumi Matsuo, Kazuomi Kario, Yoshima Chikahira, Kazukiyo Nakao and Tsutomu Yamada. Treatment of heparin-induced thrombocytopenia by use of argatroban, a synthetic thrombin inhibitor 627

CORRESPONDENCE

J. G. Hudson, P. Yates and G. L. Scott. Further concern over use of alpha-interferon in immune thrombocytopenic purpura 630

Morio Sawamura, Kayoko Murayama, Goroh Ui, Takafumi Matsushima, Jun'ichi Tamura, Hirokazu Murakami, Takuji Naruse and Jun Tsuchiya. Plasma cell leukaemia with alpha-interferon therapy in myeloma 631

Book Reviews; Books Received; Announcements 632

Vol. 82 No. 4 December 1992

ANNIE MOLLA, ANNIE ANDRIEUX, AGNÈS CHAPEL, ANNIE SCHWEITZER, ROLANDE BERTHIER and GÉRARD MARGUERIE. Lack of transcription and expression on the αIIb integrin in human early haematopoietic stem cells 635

C. A. SIEFF, C. T. YOKOYAMA, K. M. ZSEBO, JOEL TRAMMELL, J. W. ANDERSEN, D. G. NATHAN and D. A. WILLIAMS. The production of Steel factor mRNA in Diamond-Blackfan anaemia long-term cultures and interactions of Steel factor with erythropoietin and interleukin-3 640

YVES BEGUIN, MICHELE YERNA, MARTINE LOO, MIREILLE WEBER and GEORGES FILLET. Erythropoiesis in multiple myeloma: defective red cell production due to inappropriate erythropoietin production 648

CLAUDIO KNÜSLI, CRISTINA DELGADO, FAROOQ MALIK, MANUEL DÓMINE, M. CRISTINA TEJEDOR, ALEXANDRA E. IRVINE, DEREK FISHER and GILLIAN E. FRANCIS. Polyethylene glycol (PEG) modification of granulocyte-macrophage colony stimulating factor (GM-CSF) enhances neutrophil priming activity but not colony stimulating activity 654

TAKESHI YOSHINO, MASAHIKO TAMURA, MARI KAWABE, HITOSHI NOMURA, NOBUO IMAI and MASAYOSHI ONO. Effects of recombinant human granulocyte colony-stimulating factor on neutrophil functions in aged animals 664

GUILLERMO J. RUIZ-ARGÜELLES, EDUARDO LOBATO-MENDIZÁBAL, JESÚS F. SAN-MIGUEL, MARCOS GONZÁLEZ, MARÍA D. CABALLERO, ALEJANDRO RUIZ-ARGÜELLES, ALBERTO ORFAO, DAVID GÓMEZ-ALMAGUER, BELÉN VIDRIALES, GUILLERMO RUIZ-REYES and ANTONIO LÓPEZ-BORRASCA. Long-term treatment results for acute megakaryoblastic leukaemia patients: a multicentre study 671

ANTONIO PALUMBO, SILVANO BATTAGLIO, MONICA ASTOLFI, ROBERTO FRIERI, MARIO BOCCADORO and ALESSANDRO PILERI. Multiple independent immunoglobulin class-switch recombination occurring within the same clone in myeloma 676

A. PICH, F. MARMONT, L. CHIUSA, N. CAPPELLO, L. RESEGOTTI and R. NAVONE. Argyrophilic nucleolar organizer counts and prognosis in multiple myeloma 681

MICHAEL HUMMEL, IOANNIS ANAGNOSTOPOULOS, FRIEDERIKE DALLENBACH, PETRA KORBJUHN, CHRISTIANE DIMMLER and HARALD STEIN. EBV infection patterns in Hodgkin's disease and normal lymphoid tissue: expression and cellular localization of EBV gene products 689

STEPHAN PETRASCH, MARIE KOSCO, JÖRN SCHMITZ, HANS HEINRICH WACKER and GÜNTER BRITTINGER. Follicular dendritic cells in non-Hodgkin-lymphoma express adhesion molecules complementary to ligands on neoplastic B-cells 695

MARIE-CLAIRE MALIGNE, FRANCOIS XAVIER MAHON, MARIE HÉLÈNE DELFAU, LAURENCE DAHERON, ALAIN KITZIS, FRANÇOIS GUILHOT, JOSEPH TANZER and BERNARD GRANDCHAMP. Quantitative determination of the hybrid Bcr-Abl RNA in patients with chronic myelogenous leukaemia under interferon therapy 701

M. LEE, I. KHOURI, R. CHAMPLIN, H. KANTARJIAN, M. TALPAZ, J. TRUJILLO, E. FREIREICH, A. DEISSEROTH and S. STASS. Detection of minimal residual disease by polymerase chain reaction of bcr/abl transcripts in chronic myelogenous leukaemia following allogeneic bone marrow transplantation 708

RENATA POLANOWSKA-GRABOWSKA, SANGHAMITRA RAHA and ADRIAN R. L. GEAR. Adhesion efficiency, platelet density and size 715

PAUL HARRISON, BARRY WILBOURN, ELISABETH CRAMER, RICHARD FAINT, IAN J. MACKIE, SHOUMO BHATTACHARYA, AVIJIT LAHIRI, SAMUEL J. MACHIN, DANIELLE TENZA and GEOFFREY F. SAVIDGE. The influence of therapeutic blocking of Gp IIb/IIIa on platelet α-granular fibrinogen 721

U. MARTINOWITZ, S. SCHULMAN, S. GITEL, H. HOROZOWSKI, M. HEIM and D. VARON. Adjusted dose continuous infusion of factor VIII in patients with haemophilia A 729

JAMIE E. CRAIG, SUSAN J. KELLY, REBECCA BARNETSON and SWEE LAY THEIN. Molecular characterization of a novel 10·3 kb deletion causing $\beta$-thalassaemia with unusually high Hb $A_2$ 735

MICHIKO N. FUKUDA, GIAN F. GAETANI, PIETRO IZZO, PAOLO SCARTEZZINI and ANNE DELL. Incompletely processed *N*-glycans of serum glycoproteins in congenital dyserythropoietic anaemia type II (HEMPAS) 745

P. YATES, L. M. MACHT, N. A. WILLIAMS and C. J. ELSON. Red cell autoantibody production by colonic mononuclear cells from a patient with ulcerative colitis and autoimmune haemolytic anaemia 753

GERARD B. NASH, BRIAN M. COOKE, JOHAN CARLSON and MATS WAHLGREN. Rheological properties of rosettes formed by red blood cells parasitized by *Plasmodium falciparum* 757

R. S. KACZMARSKI, F. DAVISON, E. BLAIR, S. SUTHERLAND, J. MOXHAM, T. MCMANUS and G. J. MUFTI. Detection of HIV in haemopoietic progenitors 764

CASE REPORTS

NOBUHIRO MIYAZAKI, TOMOKO HATA, SUNAO ATOGAMI, HISASHI SOHDA, KEN MURATA, TAKAO YANAGISAKO, KUNIHIRO TSUKASAKI, YASUAKI YAMADA, SHIMERU KAMIHIRA and MASAO TOMONAGA. Disappearance of CD4 antigen in a case of adult T cell leukaemia 770

G. J. CREEMERS, B. LÖWENBERG and A. HAGENBEEK. Allogeneic bone marrow transplantation for primary myelofibrosis 772

EDWARD J. KANFER, CATHY M. PRICE, SUSAN M. COLMAN and A. JOHN BARRETT. Erythropoietin-independent colony growth in polycythaemia vera is not restricted to progenitor cells with trisomy of chromosome 8 773

HITOSHI SUZUSHIMA, SHUZO MATSUSHITA, RYOTARO NAKAMURA, SHINTARO NISHIMURA, TOSHIYA OKUBO, NORIO ASOU, KEISEI KAWA-HA, KANJI HIRAI and KIYOSHI TAKATSUKI. Detection of

Epstein-Barr viral DNA in aggressive CD8+ T cell leukaemic cells 774
NOBUTAKA IMAMURA and ATSUSHI KURAMOTO. Detection of H-RAS point mutation in myeloperoxidase negative acute myelogenous leukaemia (FAB; AML-M0) 776

CORRESPONDENCE
QINGXUE CAO, WEIQUAN WENG and CHUNYUAN ZHANG. The predictive value of serum haptoglobin in paroxysmal nocturnal haemoglobinuria 778
JOHN KELTON and GEORGE P. ANDERSON. Pathophysiology of heparin-induced thrombocytopenia 778
XAVIER TROUSSARD, PATRICK MAYO, BRIGITTE MOSQUET, OUMEDALY REMAN and MICHEL LEPORRIER. Ticlopidine and severe aplastic anaemia 779
TETSUYA YAMAGATA, NOBORU MIURA, KOUICHI HIRAI, KIYOSHI KUROKAWA and MASAAKI HIGASHIHARA. Natural interferon-alfa for basophilia 780
JARI PETÄJÄ, TOM KRUSIUS, DAN APTER and TOMI KOSKI. About familial defective release of t-PA 781
SIMON VASSILIADIS and IRENE ATHANASSAKIS. Type II interferon may be a potential hazardous therapeutic agent during pregnancy 782
ALAIN DELMER, BERNARD RIO, FREDERIC BAUDUER, FLORENCE AJCHENBAUM, JEAN-PIERRE MARIE and ROBERT ZITTOUN. Pregnancy during myelosuppressive treatment for chronic myelogenous leukaemia 783
Book Reviews 785
Author and Subject Indexes to Volume 82 786